8E NO. 1/92/13/99

A

X

Public Copy

Certified Mail
Return Receipt Requested

October 6, 1992

Document Processing Center (TS-790) Office of Pollution Prevention and Toxics Environmental Protection Agency 401 M Street., S.W. Washington, D.C. 20460 DEHP-92-13199 200 11002

Attn: Section 8(e) Coordinator (CAP Agreement)

Dear Coordinator:

8ECAP-[]

On behalf of the Regulatee and pursuant to Units II B.1.b; II C and II D of the

[] CAP Agreement, [] hereby submits (in triplicate) the attached information. Submission of the information in this letter is made voluntarily under a recently published TSCA §8(e) reporting Q/A, June 1991 TSCA 8(e) Reporting Guide ("Reporting Guide") and is not to be construed as a waiver of due process rights, or as an admission of TSCA violation or that Regulatee's activities with the study compound(s) reasonably support a conclusion of substantial health or environmental risk.

The "Reporting Guide" creates new TSCA 8(e) reporting criteria which was not previously announced by EPA in its 1978 Statement of Interpretation and Enforcement Policy, 43 Fed Reg 11110 (March 16, 1978). The "Reporting Guide" states criteria which expands upon and conflicts with the 1978 Statement of Interpretation. Absent amendment of the Statement of Interpretation, the informal issuance of the "Reporting Guide" raises significant due process issues and

clouds the appropriate reporting standard by which regulated persons can assure TSCA §8(e) compliance.

Regulatee is claiming certain bracketed "[]" information in this submission as Confidential Business Information and has provided substantiation and a redacted copy for the public file.

For Regulatee,

ſ

1

Attachment 1

Substantiation of Confidential Business Information Claims

| Substantiation of Confidential Business Information |
|--|
| 1. We request confidentiality for an indefinite period. [] in which this chemical was used, and per [], this information should not be disclosed. |
| 2No. |
| 3. Yes. This information was [] as part of []. No non-confidential disclosure is []. |
| 4. This information is handled by standard procedures for company information labelled [] These procedures are outlined in our []. |
| 5. The material appears on [] but does not appear on any other literature, professional or trade publications, or other media. The [] preclude non-confidential disclosure of this material. |
| 6.No. |
| 7. "Submitter does not assert that confidential information claimed as CBI herein is "health and safety data" pursuant to 40 CFR Part 2.306(e)(i). Notwithstanding this claim and the inapplicability of this subpart to the information claimed as CBI, submitter states as follows": |
| •Disclosure would not reveal -confidential process information -Confidential proportions of the mixture. However, it would reveal information unrelated to the effects of the substance on human health or the environment. |
| Disclosure [] would reveal the [] to which the material is put. |

2 See end of report

CAS #8047-15-A

Chem: Saponins

Title: Inhalation Approximate Lethal Concentration (ALC)

Date: 10-9-81

Summary of Effects: Highly toxic

6

Material Tested Saponins

INHALATION APPROXIMATE LETHAL CONCENTRATION (ALC)

Objective: The purpose of this investigation was to determine the 4-hour inhalation ALC of saponins in male Crl:CD® rats.

Procedure: Except during exposures male Crl:CD® rats were housed in pairs in 8" x 8" x 14" stainless steel cages and provided Purina Certified Rodent Chow® #5002 and water ad libitum. Rats were observed for general suitability for 1 week prior to testing.

Groups of 6 male Cr1:CD® rats, 8 weeks old and weighing 225 to 281 grams, were loaded in wire mesh restrainers. They were then exposed head only and for single 4-hour periods to atmospheres containing saponins. During exposure all rats were observed, clinical signs noted, and chamber oxygen content and temperature monitored. Following exposure rats were weighed and observed daily (excluding weekends) for a 14-day observation period.

Generation: Dust atmospheres of saponins were generated with a 3-stage glass generator composed of a dust reservoir, cyclone generator, and elutriator. A stirring rod with plastic paddles agitated the dust in the first 2 stages. Air introduced at the reservoir carried dust particles up to the generator and elutriator. Additional houseline air swept airborne dust from the elutriator stage into the 38 L glass exposure chamber.

Analytical: Chamber atmospheres were analyzed by taking gravimetric samples at 30-minute intervals. Known volumes of atmosphere were drawn through Celman glass fiber filters (Type AE, 25 mm) at a rate of 1 or 2 liters/minute. The atmospheric concentration of the test material was determined from weight gain of the filters. During 2 exposures the mass median diameter was determined with an 8-stage Sierra cascade impactor.

Results:

| Concentration (mg/L) | | | Mass Median | Fractional Mortality | | |
|----------------------|-------|-------------|--------------|----------------------|--|--|
| Mean | S.D. | Range | Diameter (u) | # Deaths/# Exposed | | |
| 0.16 | 0.005 | 0.16 - 0.17 | Approx. 4.4 | 0/6 | | |
| 0.25 | 0.020 | 0.21 - 0.27 | - | 2/6 | | |
| 0.75 | 0.030 | 0.72 - 0.81 | - | 6/6 | | |
| 2.09 | 1.31 | 0.98 - 4.1 | Approx. 7.6 | 6/6 | | |

Observations:

Exposure: All deaths occurred during exposure with the exception of one rat exposed at 0.75 mg/L that died 48 hours post-exposure. Animals exhibited slight clear to red nasal discharge. Reduced response to sound and labored breathing were noted at 0.75 mg/L. Immediately following exposure to 0.25 mg/L, rats showed poor muscle coordination with clear nasal discharge.

14-Day Observation Period: During the 14-day observation period there was a dose dependent weight loss in all levels. This weight loss ranged from slight to moderate and was followed by normal weight gain.

Summary: The acute inhalation toxicity of saponins to 8-week old male Crl:CD® rats was evaluated in single 4-hour exposures. The approximate lethal concentration was found to be 0.25 mg/L.

During exposure all animals showed slight clear to red nasal discharge, reduced response to sound, and labored breathing. Post-exposure clinical signs were in varying degree, clear to red nasal discharge and poor muscle coordination. This material is considered highly toxic according to Haskell Laboratory Toxicity Classifications.

* Synonym: Saponin (Reagent)

CAS Registry No.: 8047-15-2

Triage of 8(e) Submissions

| Date sent to triage: | | | NON-CAP | | CAP | | |
|---------------------------|------------------|---------------|--------------|---------------|---------------------------------------|--------|------|
| Submission number: _ | 13199A | . | TSC | CA Inventory: | Y | N | Ō |
| Study type (circle app | ropriate): | | | | | | |
| Group 1 - Dick Cleme | nts (1 copy tota | l) | | | | | |
| ECO | AQUATO | | | | | | |
| Group 2 - Ernie Falke | (1 copy total) | | | | | | |
| ATOX | SBTOX | SEN | w/NEUR | | | | |
| Group 3 - Elizabeth M | largosches (1 c | opy each) | | | | | |
| STOX | стох | EPI | RTOX | GTOX | | | |
| STOX/ONCO | CTOX/ONCO | IMMUNO | СҮТО | NEUR | | | |
| Other (FATE, EXPO, M | MET, etc.): | | | | | | |
| Notes: THIS IS THE ORIGIN | NAL 8(e) SUBM | IISSION; PLEA | ASE REFILE A | FTER TRIAGE | DATAB | ASE E | NTRY |
| | , | For Contract | or Use Only | | | | |
| entire documen | t: 0 1 2 | pages // S | <u></u> | pages | · · · · · · · · · · · · · · · · · · · | | |
| Contractor revi | ewer: JW | | Date | : 1/24/96 | | · · | _ |

| 3 |
|---------------|
| FORM |
| 2 |
| 0 |
| Œ. |
| |
| ENTRY |
| 2 |
| |
| - |
| - |
| ш |
| († 1 |
| 77 |
| -3 |
| DBASE |
| 要 |
| DBASI |
| |
| Q |
| z |
| = |
| × |
| TRACKING |
| æ |
| ∼ |
| _ |
| _ |
| 30 |
| 否 |
| × |
| |
| Z |
| |
| 5 |
| Ś |
| - |
| ≺ |
| c١ |
| CECATST |
| $\overline{}$ |
| |

| INTARY ACTIONS NO ACTION REPORTED STUDIES PLANNED TOWNER WAY NOTIFICATION OF WORKER WOTH BY FROCESSAIANDEING CHANGES PRODUCTION DISCONTINUED | | ML), 01 02 04 AN) 01 02 04 AN) 01 02 04 AN) 01 02 04 AL) 01 02 04 AL) 01 02 04 C 01 02 04 O1 02 04 O1 02 04 | PRODUCTION |
|--|--|---|--|
| - | | INFORMATION TYPE: 624 IMMUNO (ANIMAL), 624 IMMUNO (HUMAN) 624 CLASTO (IN VITRO) 624 CLASTO (IN VITRO) 624 CLASTO (ANIMAL) 624 CLASTO (ANIMAL) 624 CLASTO (HUMAN) 625 CLASTO (HUMAN) 625 CLASTO (HUMAN) 626 PRODJUSE/FROC 625 MSDS 629 OTHER | TOXICOLOGICAL CONCERN: LOW MED Acute Inhalahun Toxicatu |
| ENTRY FORM FLWP DATE 11) CACTIONS) CORTING RATIONALE) KCREENING | 39 69 280 282 8047-15 | | TOXICOLOGICAL CONCERN. LOW MED Acute Inhali |
| CECATS/TRIAGE TRACKING DBASE ENTRY FORM INFORMATION REQUESTED: FLWP DATE: 0501 NO INFO REQUESTED (TECH) 0502 INFO REQUESTED (VOL ACTIONS) 0504 INFO REQUESTED (VOL ACTIONS) 0504 INFO REQUESTED (REPORTING RATIONALE) DISPOSITION: (\$\text{QCO}\$) REFER TO CHEMICAL SCREENING | CSRAD DATE. | EPICLIN HUMAN EXPOS (PROD CONTAM) HUMAN EXPOS (ACCIDENTAL) HUMAN EXPOS (ACCIDENTAL) HUMAN EXPOS (ACCIDENTAL) HUMAN EXPOS (ACCIDENTAL) BCOJAQUA TOX ENV. OCCCRELAFATE EMER INCI OF ENV CONTAM RESPONSE RECHEST DELAY PROD/COMP/CHEM ID REPORTING RATIONALE CONFIDENTIAL ALLERG (HUMAN) ALLERG (ANIMAL) METAMPHARMACO (ANIMAL) | |
| CECATS/TRI INFO 6501 | 11/02/92 | | PROGRESSION SPECIES YES (DROPARETER) NO (CONTINUE) NELTER |
| 1192 - 13199 & SEO A | OTS DATE. | RO) = 22 C K K K K K K K K K K K K K K K K K | |
| CECATS DATA: Submission # BEHQ. 119.2 - TYPE: INT. SUPP FLWP SUBMITTER NAME. Con. | SUB DATE 10 06 92 CHEMICAL NAME SOPONIOS | INFORMATION TYPE: D201 ONCO (HUMAN) D202 ONCO (ANIMAL) D203 CELL TRANS (IN VITRO) D204 MUTA (IN VITRO) D205 MUTA (IN VITRO) D206 MUTA (IN VITRO) D206 MUTA (IN VITRO) D207 MUTA (IN VITRO) D208 MUTA (IN VITRO) D209 MUTA | TRIAGE DATA HON-CEL INVENTORY TES CAS 58 NO THE THE PROPERTY OF THE PROPERTY O |
| CBCA' Submis | SUB. D | 0.201 0.201 0.205 | TRACEDA. |

M

Acute inhalation toxicity in the male rat is of medium concern based on an approximate lethal concentration of 250 mg/m³ (0.25 mg/L) following a single 4-hour exposure. Exposure concentrations (mg/m³) and mortalities were 160 (0/6), 250 (2/6), 750 (6/6), 2090 (6/6). Clinical signs included slight clear to red nasal discharge, slight to moderate dose-dependent weight loss (≥160 mg/m³), reduced response to sound, labored breathing (750 mg/m³), and poor muscle coordination (250 mg/m³).